## **BONEDRY™ TG**

7 FLUID APPLIED | Membrane Waterproofing



## PRODUCT DESCRIPTION

BoneDry™ TG is a premium grade trowelable waterproofing mastic based on polymer modified asphalt emulsion. Bone-Dry TG is used as a below-grade exterior waterproofing compound and exhibits excellent strength, adhesion, and flexibility. Bone-Dry TG is used in residential and commercial building construction for detailed applications.

BoneDry TG can be effectively used as a sealant or patch for tie holes, protrusions, penetrations, cold joints and honeycombs. This product is also a great choice for repairing cracks, seam failures and other water penetration points on existing structures. BoneDry TG is also used as an adhesive for flashing and other termination materials.

## **APPLICATION**

- Masonry Foundations
- Poured Foundations
- Pre-Cast Foundations
- Horizontal

TECHNICAL SERVICES   PRODUCT SPECIFICATIONS Type: Polymer modified asphalt waterproofing membrane	
Color	Black/ Brown
Solids	63% ± 2%
Thickness	40-60 mil dry
Tensile Strength ASTM D 412	87 psi
Elongation ASTM D 412	1800%
MVT ASTM E 96	0.19 gr/hr* sq. ft.
Adhesion to Concrete ASTM C 834	Exceeds
Shore Hardness ASTM C 836	75
Crack Bridging ASTM C 836	Exceeds
Low Temp Flexibility ASTM C 836	No Cracking
Perm Rating ASTM C 836	0.38 perms

**CAUTION:** KEEP FROM FREEZING DURING TRANSIT AND STORAGE.

May help to contribute to LEED® credits:	
EA Credit 1:	Optimize Energy Performance
EQ Credit 3.1:	Construction IAQ Management Plan: During Construction
EQ Credit 4.2:	Low Emitting Materials: Paints and Coatings
MR Credit 5.1:	Regional Materials: 10% Extracted, Processed and Manufactured Regionally
MR Credit 5.2:	Regional Materials: 20% Extracted, Processed and Manufactured Regionally





GMX, Inc. 3014 Chamber Dr. Monroe, NC 28110 Toll Free: 866-228-7743 www.gmxwaterproofing.com

LEED® Buildings and Leadership in Energy and Environmental Design® are trademarks of the U.S. Green Building Council. The Leadership in Energy and Environmental Design (LEED) Green Building Rating System is a voluntary, consensus-building national standard that was initiated by the U.S. Green Building Council (USGBC) for developing high-performance sustainable buildings.